

makes a difference









POWERFUL, RELIABLE SINGLE-MOTOR HEPA VACUUM.

The reliable, durable, and serviceable upright vac with HEPA filtration.

The most durable single-motor upright vacuum in its class.

The Sensor® S2 12 HEPA and Sensor® S2 14 HEPA are the market leaders in cleaning performance and reliability. HEPA final stage filtration comes standard on every vacuum for optimum indoor air quality. These lightweight and quiet vacuums are built for the performance needs of hospitality, education, healthcare and senior living markets.



- 1 HEPA final stage filtration
- HEPA filter standard on every vacuum for better indoor air quality.
- Dual-stage filtration provides cleaner air to the filter, extending the life up to 200-300 hours, saving you time and money.
- 2 Best warranty in its class
- 3-year "bumper to handle" warranty, provides you the best protection the industry has to offer.
- 3 Reliability
- Bag-full and check brush indicators are mechanical for even greater reliability.

- 4 Serviceability
- Tool-free power cord change.
- All electronics located in the base of unit, eliminating wear on swivels and connectors, improving reliability and serviceability.
- 5 Extremely Quiet
- Daytime cleaning and operation in noise-sensitive areas possible with the low noise level of 67 dBA.

Technical data and equipment.







| SEN | งรดเ | D® C. | 112 | HE | ОΔ |
|-----|------|-------|-----|----|----|
| | | | | | |

SENSOR® S2 12 HEPA

SENSOR® S2 14 HEPA

| | | JENJUK JZ IZ HEFA | JENJOR JZ IZ HEFA | JENSOR 32 14 HEFA |
|--------------------------|-----|-------------------|-------------------|-------------------|
| TECHNICAL SPECIFICATIONS | | | | |
| Working width | in | 12 | 12 | 14 |
| Power supply | v | 120 | 230 - 240 | 120 |
| Waterlift | in | 90 | 90 | 90 |
| Power cord length | ft | 25 | 25 | 40 |
| Operating noise level | dBA | 67 | 67 | 67 |
| Air flow rate | cfm | 105 | 105 | 105 |
| Amps | hp | 1.6 | 1.6 | 1.6 |
| Filter bag capacity | gal | 1.4 | 1.4 | 1.4 |
| Dimensions (LxWxH) | in | 11 x 12 x 46 | 11 x 12 x 46 | 11 x 14 x 46 |
| Weight | lbs | 20 | 20 | 20 |

EQUIPMENT

| _ , | | |
|-------------|---|--|
| Order No. | Description | |
| 1.012-070.0 | Sensor® S2 12 HEPA, 120 V, 12-inch single-motor commercial upright vacuum | |
| 1.012-593.0 | Sensor® S2 12 HEPA, 230 V, 12-inch single-motor commercial upright vacuum | |
| 1.012-071.0 | Sensor® S2 14 HEPA, 120 V. 14-inch single-motor commercial upright vacuum | |

ACCESSORIES

| ~~ | CESSORIES | |
|----|-------------|---|
| | Order No. | Description |
| • | 8.600-522.0 | Sensor® MicroFilter™ 0.3 micron Sensor® Air Quality MicroFilter™ |
| - | 8.639-454.0 | HEPA filter |
| • | 8.631-930.0 | Crevice tool (black) |
| - | 8.631-929.0 | Upholstery tool (black) |
| • | 8.613-769.0 | Sensor® Extension Hose Sensor® Extension Hose |
| - | 8.639-756.0 | 40 ft cord (yellow) |
| • | 8.639-763.0 | 12" brush strip 12" (standard on Sensor* S2 12 HEPA) |
| - | 8.600-244.0 | 14" brush strip 14" (standard on Sensor® S2 14 HEPA) |
| | 8.639-785.0 | 25 ft cord (yellow) |
| | 8.600-050.0 | Package of 10 Sensor® Dust Bags Package of 10 |
| | 9.840-643.0 | Case of 250 Sensor® Bags Case of 25 packs of 10 Sensor® Dust Bags (total count = 250) |
| | 8.614-090.0 | Sensor® Demonstration Dirt Scope |
| | 8.628-474.0 | Dusting Brush Kit Includes: Dusting Brush and Holding Clip to mount on handle |

[■] Included □ Optional

Please contact us for more information:

Kärcher U.S.A.

4555 Airport Way Denver, CO 80239 U.S.A.

Phone 888-805-9852 Fax 800-248-8409

www.karcher.com/us

Kärcher Canada

275 Pendant Drive Mississauga, ON L5T 2W9 Canada

Phone 888-705-9444 Fax 905-672-3155

www.karcher.ca